

IP65 LED Display Outdoor Video Screen Rental Refresh Rate 1920Hz

Basic Information

Place of Origin: 00Brand Name: 2Certification: 3Minimum Order Quantity: 100

Packaging Details:Delivery Time:Payment Terms:

Payment TermSupply Ability:



Product Specification

• Pixel Pitch (mm): 2.6

Configuration: SMD2019
Module Dimension (mm): 192x192
Module Weight(kg): 0.36

• Panel Dimension(mm): 576x576x85

• Panel Weight(kg): 7.8

Metal: Type Iron
Metal: Type Iron
Thickness: 203*193*15cm
Box Type: Self Erecting Boxes
Radiation Power: 840~1300MW
Radiation Power: 840~1300MW

Metal Type: Iron

• Universal Type: Fit For 80% Model Cars' Injectors

• Indian Hair: Yes

Product Description

IP65 LED Display Outdoor Video Screen Rental Refresh Rate 1920Hz

Rental led display,led wall parameter:

- 1. The overall use of frame-type visual design, the combination of the scattered and orderly appearance of the box, the hidden upper handle and the integrated power box, not only improves the operating experience, but also forms a more differentiated brand symbol characteristics. It has a great sense of space and visual tension in the state, giving people the product characteristics of firmness, stability and strong operability
- 2. giving people the product characteristics of firmness, stability and strong operability
- 3. Both the hoisting lock and the left and right locks can be quickly connected and disassembled;
- 4. there is no tool for one-person rear maintenance;

Product Technical Parameter

Flatness	≤0.3
Grey Scale	14
Protection Level	IP65
Installation/Service Method	Front and Back Installation/Front and Back Service
Brightness	6000-6500
Horizontal/Vertical View Angle	≥140°/≥120°
Contrast Ratio	≥5000:1



FAQ:

Q: What is the chip size you're using for outdoor display? How about an indoor display?

A: For outdoor display, we're using a 12mil chip for red, 14mil for both green and blue. Regarding indoor display, 9mil for red, 12mil for green and blue are currently adopted

Q: How much will the brightness of LED drop down after 1000hrs?

A: Based on the result of the aging test, the brightness decay of green LED is around 5%-8%, while blue is around 10%-14% and red is around 5%-8%







Room 501, unit 6, building 20, North Lane, east flower market, Beijing