# Other Welders MIG/MAG/MMA/ DC Inverter Spot Mig Welding **Machine**

### **Basic Information**

. Place of Origin: 00 2 . Brand Name: 3 · Certification: Model Number: MIG • Minimum Order Quantity: 100 • Price: 3.5-16.9 Packaging Details: 付款方式 • Delivery Time: 供 能力 Payment Terms: 期限 . Supply Ability: 常 包装



## **Product Specification**

7.1KVA Load Power:

Type: MMA Welders NB-280YT Model: Dimensions: 46\*40.5\*53cm Condition: Perfect • Pulse TIG: 1%-50% Metal: Type Iron 203\*193\*15cm Thickness: Box Type: Self Erecting Boxes

Metal Type:

• Box Type:

Radiation Power:

Universal Type: Fit For 80% Model Cars' Injectors

Self Erecting Boxes 840~1300MW

Indian Hair: Yes

Size: 390x240x185cm



#### **Product Description**

#### Other Welders MIG/MAG/MMA/ DC Inverter Spot Mig Welding Machine

#### **Quick Details**

Material / Metal Processed:

Carbon steel Machinery Test Report: Applicable Industries:

Building Material Shops, Home Use, welding

Key Selling Points:

**IGBT** 

Warranty:

1 Year

Year:

2021

Weight (KG):

6.9 KG

Usage:

welding

Dimensions:

37\*30\*15 cm

**Brand Name:** 

S SIMDER

Place of Origin:

Guangdong, China

Condition:

New

Wire Feeding Speed:

12 m/min

Rated Duty Cycle @40°C (MIG):

Welding Current/Voltage Range:

20-200AMP Rated Output Voltage (MIG):

50 V

Rated Output Current (MIG):

20-200A Max. Load Power Capacity:

6.8KVA

Wire Melting Type:

Short Circuit Transfer

Rated Input Voltage:

30 V

#### Description

RETOP does business through an ever-increasing focus on customers' welding challenges and applications and ultimately. their complete satisfaction. Our passion is to improve existing products and to develop new applications that benefit our customers and meet their constantly changing need. We offer customers the best welding products and we also offer them the flexibilities in product design and construction, coupled 1. Connect the ground clamp to the positive terminal of the welder. Then clamp the ground clamp to the to-be-welded work-piece.

2. Connect to power and Switch to 1.0mm MIG mode. ( If you were using 0.8 mm wire, please use 0.8 mm contact tip and switch to 0.8 mm MIG mode.)

### **Features**

Quality first and service best is the faith we keep all the time. As we look to the future, we will continue to make progress by implementing a philosophy that stresses quality and service in all of our operations, thus making our future even stronger. We own completely independent product design and development ability; fist-class technology staff troop; excellent production facilities. And we follow rigorous testing standards which guarantees product quality. We do not pursue the best, but we always purse the better. Your satisfaction is also our gratification. We believe that we can be your most trustful partner.

### FAQ:

Q:Are you a factory or trading company?

A: We are a factory.

Q:Where is your factory located?

A: Our factory is located in Wenling, Zhejiang Province. 30 mins from Luqiao Airport by car, 2.5 hours from Ningbo Airport by car,4 hours from Shanghai Airport by car.

Q:How about quality control in your factory?

A: Kaitai staffs are always paying great attentions to quality controlling from the beginning to the end and testing one by one.

Q:How about guarantee?

A: It's within 1 year after goods is discharged in the destination.



+86-15399918960

service@ellawigss.com



ladyshairextensions.com

Room 501, unit 6, building 20, North Lane, east flower market, Beijing