

# Inverter Co2 Gas Shielded Arc Pulse Mma Igbt Welder Mag Mig

# **Basic Information**

00 . Place of Origin: 2 . Brand Name: 3 · Certification: Model Number: MIG • Minimum Order Quantity: 100 • Price: 3.5-16.9 • Packaging Details: 付款方式 • Delivery Time: 供 能力 Payment Terms: 期限 . Supply Ability: 常 包装



# **Product Specification**

Load Power: 7.1KVA Brand Name: Coofix NB-280YT Model: • Output Current: 20A-140A · Condition: Perfect • Inspection: Provided Metal: Type Iron 203\*193\*15cm Thickness: Box Type: Self Erecting Boxes 840~1300MW • Radiation Power:

Metal Type: Iron

Universal Type: Fit For 80% Model Cars' Injectors

Indian Hair: Yes

Size: 390x240x185cm . Hair Styles: Body Wave, Straight



### **Product Description**

#### Inverter Co2 Gas Shielded Arc Pulse Mma Igbt Welder Mag Mig

#### **Quick Details**

Warranty:

1year

Packing:

Carton Packing

MOQ:

100

Brand:

oem

output voltage: 127v/220v

Name:

welding machine

Dimension (L x W x H):

29cm\*15cm\*18.5cm

Weight:

2.85ka

Rated Output Current:

20-120v

Phase:

Single phase

For Material Type:

Steel, Copper Alloys

Welding Process:

TIG. Stick

Model Number:

MIG-120Q

Brand Name:

coofix

Place of Origin:

Zhejiang, China

Customized support:

OEM, ODM

## Description

RETOP does business through an ever-increasing focus on customers' welding challenges and applications and ultimately, their complete satisfaction. Our passion is to improve existing products and to develop new applications that benefit our customers and meet their constantly changing need. We offer customers the best welding products and we also offer them the flexibilities in product design and construction, coupled with superior services before and after sale. With our dedicated commitment to customer services, you will find that we are easy to contact, easy to work with and easy to get information from we are here to help you.

#### **Features**

Quality first and service best is the faith we keep all the time. As we look to the future, we will continue to make progress by implementing a philosophy that stresses quality and service in all of our operations, thus making our future even stronger. We own completely independent product design and development ability; fist-class technology staff troop; excellent production facilities. And we follow rigorous testing standards which guarantees product quality. We do not pursue the best, but we always purse the better. Your satisfaction is also our gratification. We believe that we can be your most trustful partner.

### description

- 1.220 volt input and 150 amp output, Duty Cycle: 80% at 150A and 100% at 130A
- 2. Accepts 2.2 pounds flux core and solid wires .030"-.040"(0.8/1.0 mm) to weld over .030"(0.8mm) PlateThickness
- 3. Multi Use: MIG/Stick, Gas/Gasless/Lift TIG, All are available, Stick Welding(3.2mm Rod) 7018 1/8" very well, also 6013 and 7018 3/32
- 4.Great for DIY Users, Maintenance and Repair and Metal Fabrication. Energy conservation and environment Protection to compare with Transformer welders.
- 5. Syntheic digital current and voltage control, when change the current, adjust the voltage automatically. The panel operation is very simple.









Room 501, unit 6, building 20, North Lane, east flower market, Beijing