Intelligent Luxury Paint Tripod Turnstile Gate With Access Control System

Basic Information

00 . Place of Origin: 2 Brand Name: 3 · Certification: Minimum Order Quantity: 100 Packaging Details: 付款方式 Delivery Time: 供能力 Payment Terms: 期限 Supply Ability: 常 包装



Product Specification

Access Width: 600mm

 Access Direction: Single Directional/Bi-directional

Brushless DC Motor • Driving Mode:

0.2S Reacting Time: • Throughput Rate: 30p/m

• Communication: Dry Contact/RS485 Material: SUS 304 Stainless Steel

Indication Way: Acoustic Alarming, LED Indicator

Metal: Type Iron • Thickness: 203*193*15cm Self Erecting Boxes • Box Type: Radiation Power: 840~1300MW

Metal Type: Iron

Universal Type: Fit For 80% Model Cars' Injectors

• Indian Hair:



Product Description

Intelligent Luxury Paint Tripod Turnstile Gate With Access Control System

Product specification

Material	304stainless steel		
Specification	1200*280*990mm		
work voltage	AC220V±10% 50HZ±10%		
Core	DC24V solenoid valve		
Size	1200*280*990mm		
Arm length	500mm		
Max bearing force	80KG		
Max lane width	550MM		
Rotation direction for arm	left or right, or bi-directional Led direction indicator		
Card reading window	standard or customized		
Work environment	indoor or outdoor, 10 70		
Barrier open time	0.2s		
relative humidity	relative humidity		
Transit speed	30 people/minute		
Emergency	auto drop for arm		
Normal work life	3,000,000 times		
Communication interface	Communication interface		
Input interface	relay switch signal, 12V level signal or 12V pulse signal, pulse width 100ms,drive current 10mA(

Product functions and features

Compatible for access control system, consumption system, E-ticket system, biometric	V	V	×
system, ESD system and so on			
Unique positioning, self reset, one arm always in the horizontal level	V	V	×
3. LED lamp indicator	V	V	×
when open signal is given, arm rotate to a certain degree	V	×	×
5. how arm reacts when people passing	rotate automatically	push by hand	push by hand
6. one direction or bi-direction flow control	V	V	adjust by hand
7. work directly with PC for remote control and management	V	V	×
Bi-direction Anti reverse rotation	V	V	×

Product application

This equipment is integrated with mechanism, electric and micro-controller and various kinds of identification technologies, compatible with IC, ID, barcode, fingerprint reader and so on to provide intelligent control and management to flow control. Durable, anti-rusty. Provide orderly passage to people, anti-illegal entry or exit, smooth operation, low noise. Arm drops off in condition of emergencies.

This model is widely used in bus station, port, subway, factory, mansion, residential area, hotel, and companies and so on any place that requires a smart flow control.

FAQ

Q:What is the strength of your company in this industry?

A:We are the top 5 in turnstile field in China, more than 120 employees and over 20 senior R & D technical persons to ensure the gate could work well in different environment, power supply and current. Experienced foreign trade business team can help you to deal with any emergency before, during and after the sales. The brand ZENTO is highly recognized in Southeast Asia.

Q:What is your pricing strategy?

A:For overseas markets, we will use competitive prices to support a strong distributor in each area, and gradually establish overseas service agency, as a good opportunity, some long-term cooperation partners will compete with us to sign the annual cooperation agreement (including execution price).

Q:How about Quality Control?

A:IOS9002 could help us to realize the factory management control and our ERP system can help us to control the cost of procurement links effectively, so we can provide a good price. New test system could do uninterrupted fatigue testing to ensure its using life. Pre-shipment inspection and third-party supervision are available.







Room 501, unit 6, building 20, North Lane, east flower market, Beijing