



## 304 Stainless Steel Entrance Flap Barrier Turnstile Gate With Access Control System

### Our Product Introduction

#### Basic Information

- Place of Origin: 00
- Brand Name: 2
- Certification: 3
- Minimum Order Quantity: 100
- Packaging Details: 付款方式
- Delivery Time: 供 能力
- Payment Terms: 期限
- Supply Ability: 常 包装



#### Product Specification

- Throughput Rate: 30p/m
- Communication: Dry Contact/RS485
- Indication Way: Acoustic Alarming, LED Indicator
- Infrared: 3 Pairs
- Life: 9 Million Times
- Size: 1200\*280\*990mm
- Arm Length: 500mm
- Max Bearing Force: 80KG
- Metal: Type Iron
- Thickness: 203\*193\*15cm
- Box Type: Self Erecting Boxes
- Radiation Power: 840~1300MW
- Metal Type: Iron
- Universal Type: Fit For 80% Model Cars' Injectors
- Indian Hair: Yes



#### More Images



## Product Description

### 304 Stainless Steel Entrance Flap Barrier Turnstile Gate With Access Control System

#### Product description

The matrix type photoelectric stereoscopic detection technology is adopted to sensitively detect the behaviors that threaten the passageway safety, such as illegal intrusion, reverse passing, tail-gating, and give out alarms through sound, light, etc. The turnstile can be combine with other security systems.

This equipment is integrated with mechanism, electric and micro-controller and various kinds of identification technologies, compatible with IC, ID, bar code, fingerprint reader and so on to provide intelligent control and management to flow control. Durable, anti-rusty. provide orderly passage to people, anti-illegal entry or exit, smooth operation, low noise. arm drops off in condition of emergencies.

#### Product specification

Moduel No.	LD-Y605
Size	1200* 980*300mm
Material	stainless steel 304 + acrylic panel
Channel width	550
Thickness of the cabinet	1.2-1.5mm
Passing speed	35-40 persons / minute
Communication interface	RS232
Opening time	0.2s
Working temperature	-30 ° C ~ 70 ° C
Drive motor	Brushless DC 24V
Infrared	3 pairs
Life	9 million times
Power	30-40w
Working voltage	AC100-240V
Working environment	indoor and outdoor (outdoor canopy)

#### Products features

1. Counting and alarm functions;
2. The material of the flap (retractable arm) is acrylic or soft flap. The colors are red, black and blue. The amount can be customized separately
3. Case material is mainly 304 stainless steel, other materials can also be customized
4. Remote control switch
5. Dynamic face recognition
6. Can add emergency escape function, in the case of special emergency, start by remote button
7. The communication interface is mainly RS232 / RS485, other interfaces
8. Box thickness standard 1.5mm can be customized 2.0mm
9. Fingerprint recognition of time attendance

#### Product application

This equipment is integrated with mechanism, electric and micro-controller and various kinds of identification technologies, compatible with IC, ID, barcode, fingerprint reader and so on to provide intelligent control and management to flow control. Durable, anti-rusty. Provide orderly passage to people, anti-illegal entry or exit, smooth operation, low noise. Arm drops off in condition of emergencies.

This model is widely used in bus station, port, subway, factory, mansion, residential area, hotel, and companies and so on any place that requires a smart flow control.

#### FAQ

Q:What is the strength of your company in this industry?

A:We are the top 5 in turnstile field in China, more than 120 employees and over 20 senior R & D technical persons to ensure the gate could work well in different environment, power supply and current. Experienced foreign trade business team can help you to deal with any emergency before, during and after the sales. The brand ZENTO is highly recognized in Southeast Asia.

Q:What is your pricing strategy?

A:For overseas markets, we will use competitive prices to support a strong distributor in each area, and gradually establish overseas service agency, as a good opportunity, some long-term cooperation partners will compete with us to sign the annual cooperation agreement (including execution price).

Q:How about Quality Control?

A:IOS9002 could help us to realize the factory management control and our ERP system can help us to control the cost of procurement links effectively, so we can provide a good price. New test system could do uninterrupted fatigue testing to ensure its using life. Pre-shipment inspection and third-party supervision are available.

Q:How about Quality Control?

A:IOS9002 could help us to realize the factory management control and our ERP system can help us to control the cost of procurement links effectively, so we can provide a good price. New test system could do uninterrupted fatigue testing to ensure its using life. Pre-shipment inspection and third-party supervision are available.

Q:How about some special design?

A:That's our advantage of design new gate or barrier according to your real situation to make different size, software and features. Video call available during design and communicate in time during this procedure.



**Ellawig companys**



+86-15399918960



service@ellawigss.com



ladyshairextensions.com

Room 501, unit 6, building 20, North Lane, east flower market, Beijing