

Small Size Computer Lcd Capacitive Touch Screen Monitor Industrial Display

Our Product Introduction

Basic Information

- Place of Origin: 00
- Brand Name: 2
- Certification: 3
- Minimum Order Quantity: 100
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Warranty(Year): 3-Year
- Application: Desktop/open Frame
- Perspectives: -70~70° (H), -50~70° (V)
- Operating Systems: Win- 7/8/10, WES 7, Linux
- Brightness: 250 Cd/m²
- Shell Material: Aluminium, SGCC
- Power Input: 12V /3A
- Metal: Type Iron
- Thickness: 203*193*15cm
- Box Type: Self Erecting Boxes
- Radiation Power: 840~1300MW
- Metal Type: Iron
- Universal Type: Fit For 80% Model Cars' Injectors
- Indian Hair: Yes
- Size: 390x240x185cm

Product Description

Small Size Computer Lcd Capacitive Touch Screen Monitor Industrial Display

Product description:

High resolution can display the picture in high definition ,nice outdoor performance under the sun ,full color - vivid picture.
 Select suppliers strictly,production visualization ,control every production stage carefully ,carry out quality inspection seriously.
 Buyers first, provide customers with the best after-sales service.
 We can customize based on customer requirements.
 For example, we can customize backlight outline dimension and brightness, FPC pinout and interface, RTP(resistive touch panel) or CTP(capacitive touch panel).
 We can also customize the glass panel and driver IC, but the tooling charge and MOQ are very high, we suggest to use standard ones, thanks.

Specification:

Form Factor	8" Industrial Touch Monitors	
Display	VGA,HDMI	
Shell Material	Aluminium, SGCC	
Dimension	230.3 x 177.3 x 41.4 mm	
Weight	1.42 KG	
Power Input	12V /3A	
Operating Systems	Windows® 7/8/10, WES 7, Linux	
OSD Menu	Adjustable screen brightness, contrast, support one-key adjustment to the best state	
Installation Method	Panel Mount, Wall Mount, Desktop Mount, VESA75 Cantilever Mount	
Display		
LCD Type	TFT-LCD	
Resolution	800 x 600/1024 x 768(optional)	
Maximum colour	16.7M	
Brightness	250 cd/m²	
Perspectives	LED-70~70° (H), -50~70° (V)	
Backlighting	LED	
Backlight life (hours)	20,000	
Contrast	500:1	
Operational Environment		
Operating temperature	-20°C ~ 70°C	
Storage temperature	-30°C ~ 80°C	
Storage Humidity	10~90% @30°C, No condensation	
Protection Grade	IP65(front panel)	
Seismic Ability	5~500 Hz, 1Grms (operating,ramdom)	
Touch Screen		
Type	5-wire resistive type	10 point capacitive screen
Interface Type	USB2.0	USB2.0
Transmittance	85%	85%
Service life	250g strength clicks 10 million clicks	Hardness 7H

Product features:

1. 8" TFT LCD display, resolution 800 x 600/1024 x 768(optional)
 2. The front panel is IP65 rated, stable and firm
 3. Support VGA and HDMI interface
 4. Optional resistive/capacitive touch screen
 5. Optional 12V/24V power supply
- Supports panel mount, wall mount, desktop mount or VESA cantilever mount

FAQ:

1. who are we?
 We are based in Beijing, China, start from 2012,sell to Domestic Market(95.00%),Southeast Asia(5.00%). There are total about 11-50 people in our office.
2. how can we guarantee quality?
 Always a pre-production sample before mass production;
 Always final Inspection before shipment;
- 3.what can you buy from us?
 Production of information touch products,Agent sales,Comprehensive solution provision,A high-tech company engaged in application software R & D and related technical services
4. why should you buy from us not from other suppliers?
 null
5. what services can we provide?
 Accepted Delivery Terms: null
 Accepted Payment Currency:null;
 Accepted Payment Type: null;

Language Spoken:null



Ellawig companys



+86-15399918960



service@ellawigss.com



ladyshairextensions.com

Room 501, unit 6, building 20, North Lane, east flower market, Beijing