

# Industrial Capacitive Resistive Wifi Infrared Touch Panel Pc For PLC HMI Monitor

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification: 3
- Minimum Order Quantity: 100
- Packaging Details: 付款方式
- Delivery Time: 供能力
- Payment Terms: 期限
- Supply Ability: 常包装



### **Product Specification**


- Warranty(Year):
- Aspect Ratio:
- Type:
- Contrast Ratio:
- Certification:
- Color:
- Metal:
- Thickness:
- Box Type:
- Radiation Power:
- Metal Type:
- Universal Type:
- Indian Hair:
- Size:
- Hair Styles:

16:9 Capacitive

3-Year

00 2

- 1000:1 CE/FCC/ROHS
- Black
  - Type Iron
  - 203\*193\*15cm
  - Self Erecting Boxes
  - 840~1300MW
  - Iron
    - Fit For 80% Model Cars' Injectors
- Yes
  - 390x240x185cm
- Body Wave, Straight



**Our Product Introduction** 

### **Product Description**

#### Product description:

High brightness 1000 nits 21.5 inch square screen outdoor waterproof anti-glare monitor Viewing angle:40/40/50/50; 80/80/80/80/8178/178; Display Colors 16.7M Brightness: 350-1500nits Touchscreen: Projected Capacitive Touch/ 5 Wire Resistive Touch/ Non-Touch DC12V/24V Operate Temperature:-10° to 60°C Storage: -20° to 70°C Aluminum Alloy Enclosure: Black and Silver color option, IP65 at Front bevel

#### Product details:

Model No.:	JWS215-M210
Color:	Black & Silver
Display size and Panel type:	21.5 inch Industrial A+ grade industrial Monitor
Resolution:	1920 x 1080(16:9)
Input:	AC 100-240V 50/60Hz
Output:	DC 12V/4A, default support 12~36V wide range voltage input
Luminance:	300cd/m <sup>2</sup>
Input:	AC100-240V 50/60Hz
Output:	DC12V/4A, Support 12-24V, 12-36V wide range voltage input
Motherboard:	JWS2556, JWS2513
Housing material:	Anuminum alloy
Ports:	DC x 1 + VGA x 1 + RJ45 x 1 + earphone jack x 1 +DVI x 1 + HDM-I x 1
Touch screen:	Default with 10-point capacitive touch, support Two-finger Touch Control while Wearing Gloves; Optional Resistive touch / Non-touch
Touch way:	Capacitive touchscreen(support 10 point finger touch), resistance touchscreen(support 1 point finger touch), non touchscreen(click mouse)
Operation Temperature:	-10°C-60°C
Storage Temperature:	-20°C-70°C
Button:	MENU, AUTO, LEFT, RIGHT, ON/OFF
Lifespan:	≥50000 hours
MTBF:	7*24hours
Installation ways:	desktop, VESA, wall mounted, embedded,
Warranty:	3 years
Certifications:	CE,FCC,ROHS,ISO9001
Assessories:	industrial PC+power cable + power adaptor + guarantee card + buckle

#### Our services:

Accepted Delivery Terms: FOB,EXW,FCA,DDP,Express Delivery Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,MoneyGram,Credit Card,PayPal,Western Union,Cash,Escrow; Language Spoken:English,Chinese,Spanish,Japanese,Portuguese,German,Arabic,French,Russian,Korean,Hindi,Italian

#### FAQ:

Q: Are you a trading company or factory?

- A: We are a professional industrial monitor/ panel/android touch screen PC manufacturer started from 2012.
- Q: What's Minimum Order Quantity?
- A: 1 pcs sample. You are welcomed to place order to test our product quality and services.
- Q: What is your production time?
- A: Different quantity, different production time. It will use about 9-12 days if your order over 500pcs.
- Q: Are the pictures real picture?
- A: The pictures of all products we sell are 100% real shoot, If you want to be our sales agent, you can cooperate with our company.

for more products please visit us on ladyshairextensions.com

Our Product Introduction

**Ellawig companys** 

Room 501, unit 6, building 20, North Lane, east flower market, Beijing